12- Patient need to take Voriconazol so we need to check
a- kidney function
b- Hepatic function

13- Role of Digoxin in CHF → +ve Intropic effect

14- Patient In the ER give him
many choices
I chosed → lorazipam IV

15- For Partial sizure :- Carbimazol

16- For Trigemenal Neurlgia → Tegretol

17- Patient urinary urgency → Darifenacin
& he don't have BPH So choose

18- Live Attenuated Vaccine → MMR →
he wrote names of vaccines

19- Patient with syphilis Resistance to Azithromycin
and with sensetivity to Penicillin → Vancomycin

20 Breast feeding with sizure So contain
Valporic acid ✓ I think its Right
leverictam

21- Role of Dopamine In cardiac Shock

~~22- Hydralazine ...~~

23. Antidote for Diazepam → Flumazenil

24- Long case with lab Result that has Protien in
urinanalysis → want HT
→ add ACEI

25 Drug must keep in dark box more ~~dande~~ Dangreous for
Infants ---→ Clove oil

26- Most Drugs Dispense OTC Analgesic ✓ I don't know if Right answer
oral Antiseptic

مذكرة ٣٢٠

سؤال رقم
٥

سؤال رقم
(myopathy + Rhabdomyolysis)
٢ الاجابة Gemfibrozil

سؤال ٢٤ بيتكلم عن H Pylori

س ٥ بطريقة غريبة تكلم عن Diazepam والاجابات بردية ٢٧ ...

س ٦٣ ← ٩٠ ذكر ٩٠ يوم كتب ٣ يوم

س ٨٤ ← الاجابة 85

س ١٠٣ بطريقة ثانية عند ما بيتكلم عن erythromycin الاجابة vancomycin

س ١٢٩ بطريقة غير والاجابة نفسها التي هيا Genital

س ١٣٩ بطريقة غريبة لم اعرف ما السؤال غير الكلمة الاهم encephalopathy الصواب نفسه

سؤال ١٠٩ ← الاجابة over 6 months

سؤال ٢١٧ ← عن طريقة case طويلة

سؤال ٢٢٠ الاجابة bromocriptin

سؤال ٢٣١ ← حسابية Calculasion

سؤال ٢٣٢ ← Prazocin

سؤال ٢٣٨ ← Indomethacin

سؤال ٢٤٧ ← الاجابة 0.90% NAcl نفس سؤال ٣١٦

سؤال ٢٥٥ ← جاني سؤال عن Bevacizumab ليس الاجابة مش نفس اللي بالملف كده لانه غير واضح بالنسبة لي

سؤال ٢٧٦ ← الاجابة omission error

سؤال ٣١٤ ← الاجابة nitrofurantion

سؤال ٢٢٣ ← عبارة عن prophylaxis نفسه Prevention الاجابة Alendronate 35mg

- Symptoms and signs - ١٢٥
- HPV ١٨٠
- طريقة ثانية - ١٩٧
- Potassium Iodide - ٢١٧
- Vital signs - ٢٣٨
- Cefuroxime - ٢٤٨
- Nitrofurantoin - ٢٤٩ و١
- Carbamazepine - ٢٥٧
- not alpha 2 agonist - ٢٨٣
- Procainamide - ٢٨٦
- Aspirin - ٣٠٩
- Indirect Acting adrenergic agonist - ٣٥١
- Celecoxib - ٣٤٧
- نص - ٣٨٨
- Beta2 antagonist - ٤١٨
- Class IA تحفظ - ٤٣٢
- Hypoperfusion - ٤٣٦
- Drowsiness - ٤٤٨
- سطح [الجدول اللي في ص ٧٠ يحفظ
- Indomethasin - ٤٥٢
- Warfarin → Vitamin K - ٤٥٦
- Heparin → protamin sulfate - ٤٥٧
- Meningitis - ٤٨٧
- Case - ٥١٩
- carbimazole - ٥٢٠
- Case - ٥٣٦

مذكرة ٧٠

- ١٤ نصا
- ١٦ نصا
- ٤٤ نصا
- ٤٦ Bismuth الجواب
- ٥٢ Anti Dote
- ٥٦ Hypokalemia
- ٦٠ Naloxone
- ٦٢ Vitamin A retinol
- ٩١ Bupivacine
- ١٠٢ Clozapine
- ١٢١ Adrenal hyperplasia
- ١٢٩ INR
- ١٣٠ APTT
- ١٣٢ Neclosamide
- ١٤٦ Male 90
- ١٥٨ MMR
- ١٥٩ Hyperphosphatemia
- ١٦٣ Formulary drug
- ١٦٨ First choice, Meta analysis, Second choice, Systemic revies
- ١٧٩ Exhale, Shake

1. Narcotic Dr still effective 380 till 12 hrs

2. Antidote for Diazepam → flumazenil

3. Patient came to ER will give him
 @ Diazepam
 @ Iv Lorazepam → I choosed this one but I don't know if right

4. Q @ about GMP → Don't Remember

5. Patient take SABA second line cortisone

6. boy took live attenuated vaccine and we want to give him antimicrobial what we will do
 a) give him Immediately
 b) after 15 days
 c) after month ✓ but not sure if right

7. 8 qeustion 37 → 2nd line of tt of H pyrlori

8. give the vaccine of ~~MMR~~
 ~~at 6 months~~ at 12 months then 4 years

9. mechansim of action of Sitagliptin
 DPP IV inhibitor

10. mechansim of action of Pseudoephidrin
 nasal Decongestant

11. voriconazol adjust the dose in Hepatic failure not Renal
 Both in the choices

12. women take folic acid in
 many choices ~~but~~ I chosed
 before Pregnancy and During 1st Trimester

13. Ranitidine mechansim of action
 H1 blocker

27- Barbiturate SE in eldery → agitation

28- Levocetrizine can be used for ~~Less~~ over 6 months

29- Drug ~~increase effect with~~ worsen action of statin:- Gemefibrozil

30- Drug will make Problems If You break the Pill
Enteric coated Tab

31- Pregnant asthmatic → cromolyn Na

32. Probleme for eye Drops (he didn't mention how many Drops in 1ml You have to know)

33. Probleme For CrCL using the law of age

$$CrCL = \frac{140 - Age \times wt}{Serum\ creatine \times 72}$$

34- Fixed dose ~~to~~ follow 1st order → Depend on the amount of Dose

المهم في المسائل

١ - ٣ - ٤ - ٨ - ٩ - ١٠ - ١٢ - ١٤

١٦ - ١٧ - ٢١ - ٢٤ - ٢٥ - ٢٦ - ٢٧

٣٠ - ٣٢ - ٣٣ - ٣٥ - ٤٢ - ٤٣ - ٤٤ - ٤٦

٤٨ - ٤٩ - ٥٢ - ٥٩ - ٦٠ - ٦١ - ٦٤

٧٥ - ٧٦

وجات مسألة من مذكرة ٣٠٠ رقمها ٢١؟
لكن حليت [illegible] ما حليت [illegible]
طبعاً هذي المسائل اللي جات لي وبعض إن شاء الله
أهم شي أنتبهو للوحدات لأن يخليك
mg ويخليك الحل g أو العكس أو micro
وأهم شي أنك تتعود على حل المسائل كثير
عشان تكون سريع الحل عشان الوقت
مايكفي لحلها جداً قصير.

- الاثنين: Normal water / Antiseptic water — External preparation
- ٦١٨ — بغير في السؤال الدين تول ذلك
- ٦٨٤ — Cardiotoxicity caused: Celecoxib
- ٦٩٠ — Promethazine
- ٦٩٣ — Mood stabilizer
- Sulfasalazine use: IBD → Inflammatory bowel disease معلومة

- ٢
- ٢٠
- ٢١
- ٢٣
- ٢٥
- ٣١
- ٣٤
- ٣٧
- ٤١
- ٤٣
- ٤٤
- ٤٦: Preservative / anti oxidant
- ٥٠
- ٥٣
- ٥٧
- ٥٩
- ٦٨
- ٧٠
- ٧١: second: Ranitidine 150mg / first choice: Pantoprazole 40mg
- ٧٤
- ٨٥
- ٩٤ مهم جداً
- ٩٥
- ٩٨
- ١٠٤
- ١٠٩ الاثنين Can not use
- ٨١، ٢٨١ كلها مهمة
- ١١٠ مهم جداً
- ١١٢
- ١١٨
- ١٢٠ direct renin inhibitors
- ١٢٢
- ١٢٤
- ١٣٢
- ١٧٨
- ٢١٨ اتنين: Ketoconazole | Daptomycin
- ٢٢٢
- ٢٢٣
- ٢٤١
- ٢٤٠
- ٢٦٩
- ٣٠١ Case
- ٣١٢
- ٣٢٩ مهم يسألك عن First choice → Permethrin
- ٣٣٠
- ٣٣٤
- ٣٤٠
- ٣٤٣
- ٣٤٤ Case
- ٣٤٥
- ٣٥٢
- ٣٦٣
- ٣٦٤ case
- ٣٧٦
- ٣٧٨

Zolpidem Maximum dose 10mg

1- About osmolarity of Blood
2[Na] + [glucose]/18 + [BUN]/28

2- a nurse want to give Inj (new nurse) for child
maximum amount for Inj.
0.7 ml
0.1 ml
5ml ✓ I heard this
3ml

3- Narcotic Drugs under label {N}

4- Drug waiting for Approval ✓ Non Formurlay

5- Assistant dispense wrong medication and the Pharmacist found the error before Receiving : Type of error
A)
B) → error happened but didn't Reach Patient
C)
D)

6- Patient need antipsychotic with less hypnotic action
Respridone

7- S.E effect of Phenotoin → Nystgamous

8- Case about Patient (Long case) with lab Results that Show
normal → K
High → Phosphate

So ## in the Choices Ca carbonate
or Sevelamer ✓

9- Narcotic Rx → 12 hours

10- Diazepam Prescription valid to
3 Days 7 Days 14 Days

- Patient went to make knee Replacement so he took:
En Clexane 1-mg BID
Cleaxane 40 mg OD ✓ I think it's the Right answer

14 Biosimilar → many choices
Ichossed that similar to orginal one

15- Diabetic with hyperchlosterimia → Statin

16- mechanism of hydralazine
Smoothmuscle Relexant ← chosse this one
cardiac muscle Relexant

17 Patient want lowest hypnotic effect
Resperidone

18- geriatric women with pain → give her
Paracetamol

19- Patient identification by Name or MR nomber

20- Drug exgarated blood glucose → Hydrochlorothiazide

21- Pregnant asthmatic → cromolyn sodium

22- epoetin Rate 11mg/dL

* 23- How the Doctor check Drug interactions
اختيارات غريبه - Red book

24 Phenotoin SE : NystaGmous

Cases منكره

٤

١٠٤

2

٦١

٦٣

3

٧٥

٧

٧٤

٩

oxytoxic use → Induce Labor — ٢١
Ritodrine use → stop premature

١٠

إذا لم يتحسن في التحليل
Increse the dose of Levothyroxine
الدائما
Double dose — ١١

١٧

٨٠

٢٣ ← نعم

١٩

٨١

Metformin ← ٢٨

٢٦

٨٦

٢٩

٩١

٣٢

٣٣

٩٨ ← تراجع جميع Classes Antiarrhythmic

٣٦

١٠٠ ← Nitrofurantoin

١٠٢

٣٧

١٠٣ ← إذا عنده allergy to B-lactam
لا يستخدم Amoxil